

ANLÖ 002774

ANÖ 28

25FÖ 2021-020

2020 2

05

45

LCF

8	8N	8A	8
---	----	----	---

MZ

□ √

8NÖEJ6NÖGNFÖHEÖN

√ □

YÖHEÖN

□ √

45EJ6NÖGNÖ

2020 2

,6NÖN

10 6N

0.5 6N

0 6N

EÖN

8A EÖHEÖGN

□ √

6

16

6N

	8	6N	
6NÖ	8		

2	4	16	1	1	
				1 kgA	1 (m/s)
		1	METIS-CR1	$Q \leq 1600$	≤ 2.5
			METIS-CR	$Q \leq 1600$	≤ 2.5
			METIS-6S	$Q \leq 1600$	≤ 2.5
			METIS-6	$Q \leq 1600$	≤ 2.5
		1	METIS-HS4 METIS-HS10	$Q \leq 2000$	$3.0 \leq V \leq 4.0$



Ex	lj	EG	H	H	
				mm)	Q / H (m)
B		B	GRACES-ID	600/800/1000	H≤10
			GRACES-III	600/800/1000	H≤10
			GRACES-HD	800/1000	H≤21.6
			GRACES-LD	800/1000	H≤12
B F		B	T2	800/1000	L≤40.8
			T3	1000/1200/1400	L≤84

Ö (450)

“GRAVEYOR-ID” “GRAVEYOR-HD”

“T2” “T3”

III

31

Ä 1

(2000)

□ √

Ø.

2020 □

2019

4/17/20


Ä 2005

10 2005

□ ✓

OH66N16A

Ä 30



50

0000

V

94A06A

100

200000

2

0000

DXG;1P@QW0B5G1N
MEFG3E0PL0E510A

WJLON 474740FAE
B3IAB 6160A

2

☐ √

3

10%

√ ☐

0.

DL310E,8,3A1B3Ä



☐ ✓

OGYJAK10F-6F,Ä

Ä 3

✓ ☐

DL310E,8,3A1B3Ä

θ	ONt×	OONt
L9209L	800,805.65	-199,194.35

26:NL

EX

MX08•